



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

Elmer's Poster Tack Series

Synonyms

98620, 54931, 61625, E1531, 54120, 54931, E6625, 6155061625

Product Use

putty

Manufacturer Information

Elmer's Products, Inc
460 Polaris Parkway, Suite 500
Westerville, OH 43082
USA
Phone: 1-888-435-6377
Fax: 1-800-741-6046
Email: comments@elmers.com

Emergency Phone Number:
Poison Control Center
1-888-516-2502

For additional product information, access our website at www.elmers.com. To place an order, call 1-800-848-9400.

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria

GHS Label Elements

Symbol(s)

None needed according to classification criteria

Signal Word

None needed according to classification criteria

Hazard Statement(s)

None needed according to classification criteria

Precautionary Statement(s)

Prevention

None needed according to classification criteria



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Response

None needed according to classification criteria

Storage

None needed according to classification criteria

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| CAS | Component Name | Percent |
|------------|----------------------------------------------------------|---------|
| 1317-65-3 | Limestone | 10-30 |
| 14807-96-6 | Hydrous magnesium silicate | 20 |
| 64741-88-4 | Distillates, petroleum, solvent-refined heavy paraffinic | 10 |
| 13463-67-7 | Titanium dioxide | 5 |

Section 4 - FIRST AID MEASURES

Inhalation

If adverse effects occur, remove to uncontaminated area. If discomfort persists, contact a physician.

Skin

If on skin, wash immediately with plenty of soap and water. Get medical attention if irritation develops.

Eyes

Remove contact lenses, if present and easy to do. IMMEDIATELY wash with large amounts of warm water, occasionally lifting upper and lower lids, until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

Ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious or convulsive person. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use carbon dioxide, regular dry chemical, regular foam or water.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

Slight fire hazard.

Hazardous Combustion Products

oxides of carbon, isobutene

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Absorb with earth, sand or other non-combustible material and transfer to container. Collect spilled material in appropriate container for disposal.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria

Incompatible Materials

strong oxidizing materials



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

| | |
|----------------------------|-------------------------------------------------------------------------------------------------------------------|
| Limestone | 1317-65-3 |
| NIOSH: | 10 mg/m ³ TWA total dust; 5 mg/m ³ TWA respirable dust |
| OSHA (US): | 15 mg/m ³ TWA total dust; 5 mg/m ³ TWA respirable fraction |
| Mexico: | 10 mg/m ³ TWA LMPE-PPT |
| | 20 mg/m ³ STEL [LMPE-CT] |
| Hydrous magnesium silicate | 14807-96-6 |
| ACGIH: | 2 mg/m ³ TWA particulate matter containing no asbestos and <1% crystalline silica, respirable fraction |
| NIOSH: | 2 mg/m ³ TWA (containing no Asbestos and <1% Quartz) respirable dust |
| | 1000 mg/m ³ IDLH (containing no Asbestos and <1% Quartz) |
| OSHA (US): | 20 mppcf TWA (if 1% Quartz or more, use Quartz limit) |
| Mexico: | 2 mg/m ³ TWA LMPE-PPT respirable fraction |
| Titanium dioxide | 13463-67-7 |
| ACGIH: | 10 mg/m ³ TWA |
| NIOSH: | 5000 mg/m ³ IDLH |
| OSHA (US): | 15 mg/m ³ TWA total dust |
| Mexico: | 10 mg/m ³ TWA LMPE-PPT as Ti |
| | 20 mg/m ³ STEL [LMPE-CT] as Ti |

Biological limit value

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust ventilation system. Ensure adequate ventilation.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Skin Protection

Wear appropriate chemical resistant clothing.

Respiratory Protection

A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|------------------------------|------------------|-----------------------------------------------|-------------------------------|
| Appearance | tape | Physical State | solid |
| Odor | faint, mild odor | Color | blue, white, orange |
| Odor Threshold | Not available | pH | Not available |
| Melting Point | Not available | Boiling Point | Not applicable |
| Freezing point | Not applicable | Evaporation Rate | Not applicable |
| Boiling Point Range | Not available | Flammability (solid, gas) | Not available |
| Autoignition | Not applicable | Flash Point | Not applicable |
| Lower Explosive Limit | Not applicable | Decomposition | Not available |
| Upper Explosive Limit | Not applicable | Vapor Pressure | Not applicable |
| Vapor Density (air=1) | Not applicable | Specific Gravity (water=1) | 1.74 - 1.82 g/cm ³ |
| Water Solubility | Not available | Partition coefficient: n-octanol/water | Not available |
| Viscosity | Not available | Solubility (Other) | Not available |
| Density | 14.5 - 15.16 | Volatility | <1 % (by weight) |

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Under normal conditions, no hazard is expected.

Possibility of Hazardous Reactions

Will not polymerize.



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition.

Incompatible Materials

strong oxidizing materials.

Hazardous decomposition products

oxides of carbon, isobutene

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eye Contact

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Distillates, petroleum, solvent-refined heavy paraffinic (64741-88-4)

Oral LD50 Rat >5000 mg/kg

Dermal LD50 Rabbit >2000 mg/kg

Inhalation LC50 Rat 2.18 mg/L 4 h

Titanium dioxide (13463-67-7)

Oral LD50 Rat >10000 mg/kg

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No information on significant adverse effects.

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

No information available for the product.



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Component Carcinogenicity

| | |
|----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Hydrous magnesium silicate | 14807-96-6 |
| ACGIH: | A4 - Not Classifiable as a Human Carcinogen (containing no asbestos fibers) |
| IARC: | Monograph 93 [2010] (inhaled); Supplement 7 [1987]; Monograph 42 [1987] (Group 3 (not classifiable)) |
| DFG: | Category 3B (could be carcinogenic for man, free of asbestos fibers) |
| Distillates, petroleum, solvent-refined heavy paraffinic | 64741-88-4 |
| ACGIH: | A2 - Suspected Human Carcinogen (related to Untreated and mildly-treated oils) |
| IARC: | Monograph 100F [2012]; Supplement 7 [1987]; Monograph 33 [1984] (related to Untreated and mildly-treated oils) (Group 1 (carcinogenic to humans)) |
| OSHA: | Present (related to Untreated and mildly-treated oils) |
| Titanium dioxide | 13463-67-7 |
| ACGIH: | A4 - Not Classifiable as a Human Carcinogen |
| IARC: | Monograph 93 [2010]; Monograph 47 [1989] (Group 2B (possibly carcinogenic to humans)) |
| DFG: | Category 3A (could be carcinogenic for man, inhalable fraction with the exception of ultra small particles) |
| OSHA: | Present |

Germ Cell Mutagenicity

No information available for the product.

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

No information available for the product.

Medical Conditions Aggravated by Exposure

No data available.



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

| | |
|----------------------------------------------------------|----------------------------------------------------|
| Hydrous magnesium silicate | 14807-96-6 |
| Fish: | LC50 96 h Brachydanio rerio >100 g/L [semi-static] |
| Distillates, petroleum, solvent-refined heavy paraffinic | 64741-88-4 |
| Fish: | LC50 96 h Oncorhynchus mykiss >5000 mg/L |
| Invertebrate: | EC50 48 h Daphnia magna >1000 mg/L IUCLID |

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable regulations.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

UN/NA #: Not regulated

IATA Information:

UN#: Not regulated

IMDG Information:

No Classification assigned.

TDG Information:

UN#: Not regulated

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C)



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Acute Health: No **Chronic Health:** No **Fire:** No **Pressure:** No **Reactivity:** No

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

| Component | CAS | CA | MA | MN | NJ | PA |
|----------------------------------------------------------|------------|-----|-----|-----|-----|-----|
| Limestone | 1317-65-3 | No | Yes | Yes | Yes | Yes |
| Hydrous magnesium silicate | 14807-96-6 | Yes | Yes | Yes | Yes | Yes |
| Distillates, petroleum, solvent-refined heavy paraffinic | 64741-88-4 | No | No | Yes | No | No |
| Titanium dioxide | 13463-67-7 | No | Yes | Yes | Yes | Yes |

Not listed under California Proposition 65

Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

Component Analysis - Inventory

Limestone (1317-65-3)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN | NZ | MX |
|-----|-----|-----|-----|-----|-----------|-----------|----------------|-----------|-----|-----|-----|
| Yes | NSL | EIN | Yes | Yes | Yes | No | Yes | No | Yes | Yes | Yes |

Hydrous magnesium silicate (14807-96-6)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN | NZ | MX |
|-----|-----|-----|-----|-----|-----------|-----------|----------------|-----------|-----|-----|-----|
| Yes | DSL | EIN | Yes | Yes | Yes | No | Yes | No | Yes | Yes | Yes |

Distillates, petroleum, solvent-refined heavy paraffinic (64741-88-4)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN | NZ | MX |
|-----|-----|-----|-----|-----|-----------|-----------|----------------|-----------|-----|-----|-----|
| Yes | DSL | EIN | Yes | Yes | Yes | No | Yes | No | Yes | Yes | Yes |

Titanium dioxide (13463-67-7)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR - KECI/KECL | KR - TCCA | CN | NZ | MX |
|-----|-----|-----|-----|-----|-----------|-----------|----------------|-----------|-----|-----|-----|
| Yes | DSL | EIN | Yes | Yes | Yes | No | Yes | No | Yes | Yes | Yes |



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Section 16 - OTHER INFORMATION

HMIS Rating

Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

NFPA Ratings

Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

New SDS: 5/12/2015

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information

Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.